

SPECIFICATIONS

Horsepower	TWO STROKE 3.3hp 3.3 hp (2.43 kW)
Dry weight	13 kg
Revolutions per minute (RPM) ranger	4500-5500
Displacement	74.6 cc
Number of cylinders	1
Starting	Manual
Trim positions	4
Induction system	Loop-charged (1 carb)
Gear shift	Forward (F) - Neutral (N)
Gear ratio	2.15:1
Steering	Tiller handle (360°)
Recommended boat transom type	381 mm (S) - 508 mm (L)
Fuel tank maximum capacity	1.4 l
Fuel tank type	Integrated
Fuel type	Gasoline
Fuel requirement	Leaded or unleaded 90 RON min.
Engine technology	2 strokes
Fuel Mix ratio	100:1
CE category	Non RCD

obm1

SPECIFICATIONS

Models	2.5	3.3
Horsepower	2.5	3.3
Kilowatts	1.9	2.5
Full Throttle RPM Range	4000-5000	4500-5500
Idle Speed in Forward Gear	900-1000 RPM	
Number of Cylinders	1	
Piston Displacement	4.6 cu. in. (74.6cc)	
Cylinder Bore	1.85 in. (47mm)	
Piston Stroke	1.69 in. (43mm)	
Recommended Spark Plug	NGK BPR6HS-10 or Champion RL87YC	
Spark Plug Gap	.040 in. (1.0mm)	
Gear Case Lubricant Capacity	4.5 fl. oz. (135ml)	
Gear Ratio	2.18:1	2.15:1
Recommended Gasoline	Refer to Fuel Section	
Recommended Oil	Refer to Fuel Section	